

Printing date 09/18/2015

Version number 11

Reviewed on 09/18/2015

1 Identification

· Product identifier

- · Product number HGA13
- · Trade name: CLEAR WB TOPCOAT 2K 30GL
- · Relevant identified uses of the substance or mixture and uses advised against A coating composition for water-based coating and / or decoration of wooden artefacts · Application of the substance / the mixture For professional use

· Details of the supplier of the safety data sheet

- · Manufacturer/Supplier: IVM Chemicals srl Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441
- · Information department: Environmental Health and safety office hseoffice@ivmchemicals.com
- · Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Not applicable
 - · Hazard pictograms Not applicable
 - · Signal word Not applicable
 - · Hazard statements Not applicable
- · Classification system:
 - · NFPA ratings (scale 0 4)



Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

111-76-2 2-butoxyethanol	2.5-4.99%
 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Flam. Liq. 4, H227 	
34590-94-8 (2-methoxymethylethoxy)propanol Flam. Lig. 4, H227	1-<5%

US



Reviewed on 09/18/2015

Printing date 09/18/2015

Version number 11

Product number HGA13 Trade name: CLEAR WB TOPCOAT 2K 30GL

		ontd. of page 1)
1071-93-8	adipohydrazide	0.1-<0.5%
	Aquatic Chronic 2, H411 Aquatic Acute 2, H401	
68439-49-6	c16-18 alcohols ethoxylated	0.1-<0.5%
	 Acute Tox. 3, H301 Aquatic Acute 1, H400 Eye Irrit. 2A, H319 	
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl- 4-isothiazolin-3-one [EC No 220-239-6] (3:1)	<0.0015%
	 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317 	

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed
 - For symptoms and effects caused by substances, refer to Section 11.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents:
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US -

Reviewed on 09/18/2015

Printing date 09/18/2015

Chemicals

Version number 11

Product number HGA13

CLEAR WB TOPCOAT 2K 30GL Trade name:

(Contd. of page 2)

· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

· Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 °C

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Ca	omponents with limit values that require monitoring at the workplace:
111-7	76-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI
3459	0-94-8 (2-methoxymethylethoxy)propanol
PEL	Long-term value: 600 mg/m³, 100 ppm Skin
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
TLV	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin
	(Contd. on page 4)
	US

Reviewed on 09/18/2015

ings & polymers technologies Printing date 09/18/2015

N Chemicals

Version number 11

Product number HGA13			
Trade name:	CLEAR WB TOPCOAT 2K 30GL		

· Danger of explosion:

· Explosion limits:

· Lower:

	(Castal of same 2
· Ingredients with biological li	(Contd. of page 3
111-76-2 2-butoxyethanol	
BEI 200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid w	· ·
• Additional information: The list	ts that were valid during the creation were used as basis.
Breathing equipment: Not requi- Protection of hands: Due to missing tests no recom Selection of the glove materia and the degradation The glove material has to be in Material of gloves The selection of the suital further marks of quality and a preparation of several s	sures for handling chemicals should be followed. ired. Inmendation to the glove material can be given for the product. al on consideration of the penetration times, rates of diffusio Impermeable and resistant to the product . ble gloves does not only depend on the material, but also o d varies from manufacturer to manufacturer. As the product is substances, the resistance of the glove material can not b
 Penetration time of glove ma The exact break through the gloves and has to be observed 	ime has to be found out by the manufacturer of the protectiv rved.
• Penetration time of glove ma The exact break through th gloves and has to be obser • Eye protection: Goggles recom	aterial ime has to be found out by the manufacturer of the protective rved. Immended during refilling.
Penetration time of glove may The exact break through the gloves and has to be obserched Eye protection: Goggles recommon 9 Physical and chemical properties	aterial ime has to be found out by the manufacturer of the protective rved. Immended during refilling. Perties
• Penetration time of glove ma The exact break through th gloves and has to be obser • Eye protection: Goggles recom	aterial ime has to be found out by the manufacturer of the protectiv rved. Immended during refilling. Perties
 Penetration time of glove mathematical through the gloves and has to be obserted by the gloves and has to be	Interial ime has to be found out by the manufacturer of the protective rved. Immended during refilling. erties I chemical properties Fluid According to product specification Characteristic Not determined.
Penetration time of glove ma The exact break through th gloves and has to be obser Eye protection: Goggles recom 9 Physical and chemical prope Information on basic physical and General Information Appearance: Form: Color: Odor:	aterial ime has to be found out by the manufacturer of the protective rved. Immended during refilling. erties I chemical properties Fluid According to product specification Characteristic
Penetration time of glove may The exact break through the gloves and has to be observed Eye protection: Goggles recommonst 9 Physical and chemical properations • Information on basic physical and • General Information • Appearance: • Form: • Color: • Odor: • Odor: • Odour threshold: • pH-value: • Change in condition • Melting point/Melting range:	Interial ime has to be found out by the manufacturer of the protective rved. Immended during refilling. erties I chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined.
Penetration time of glove may The exact break through the gloves and has to be observed Eye protection: Goggles recommonst 9 Physical and chemical properations • Information on basic physical and • General Information • Appearance: • Form: • Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition • Melting point/Melting range: • Boiling point/Boiling range: • Flash point:	Interial ime has to be found out by the manufacturer of the protective rved. Internet and during refilling. erties I chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. 100 °C (212 °F)
Penetration time of glove may The exact break through the gloves and has to be observed Eye protection: Goggles recommod 9 Physical and chemical properations • Information on basic physical and • General Information • Appearance: • Form: • Color: • Odor: • Odor: • Odor: • Odour threshold: • pH-value: • Change in condition • Melting point/Melting range: • Boiling point/Boiling range:	Interial ime has to be found out by the manufacturer of the protective rved. Internet and during refilling. erties I chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable.
Penetration time of glove may The exact break through the gloves and has to be observed Eye protection: Goggles recommendations Eye protection: Goggles recommendation Physical and chemical properations Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor: Odor: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Interial ime has to be found out by the manufacturer of the protective rved. Internet and during refilling. erties I chemical properties Fluid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable. Not applicable.

1.1 Vol %

Product does not present an explosion hazard.

(Contd. on page 5)

US



Reviewed on 09/18/2015

Printing date 09/18/2015

Version number 11

Product number HGA13 Trade name: CLEAR WB TOPCOAT 2K 30GL

		(Contd. of pag
· Upper:	14.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	1.2 hPa (1 mm Hg)	
· Density at 20 °C (68 °F):	1.031 g/cm³ (8.604 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wo	ater): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
• <i>Kinematic at 20</i> • <i>C</i> (68 • <i>F</i>):	60 s (ISO 6 mm)	
• Oxidising properties:	N.A.	
· Solvent content:		
· Water:	62.1 %	
· VOC content:	5.8 %	
	60.1 g/l / 0.50 lb/gl	
· Solids content:	32.0 %	
Other information (HAPS)		
None of the ingredients is listed.		
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- Chemical stability The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

111-76-2	2-butoxyethanol
----------	-----------------

Oral	LD50	1480 mg/kg (rat/szczur/mouse/souris/Maus/ratón)
------	------	---

Dermal LD50 1100 mg/kg (rab)

34590-94-8 (2-methoxymethylethoxy)propanol

Oral LD50 5135 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

Dermal LD50 19020 mg/kg (rab)

1071-93-8 adipohydrazide

Oral LD50 2001 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

(Contd. on page 6)

US



Version number 11

Reviewe

Reviewed on 09/18/2015

Product number HGA13

Printing date 09/18/2015

Trade name: CLEAR WB TOPCOAT 2K 30GL

(Contd. of page 5)

2634-33-5 1,2-benzisothiazol-3(2H)-one
Oral LD50 1193 mg/kg (rat/szczur/mouse/souris/Maus/ratón)
Dermal LD50 4115 mg/kg (rabbit/królik/Kaninchen/conejo/lapin)
Primary irritant effect:
• on the skin: No irritant effect.
• on the eye: No irritating effect.
Sensitization: No sensitizing effects known.
· Additional toxicological information:
Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of: 5- chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction. The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
· Carcinogenic categories
· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

· Toxicity

\cdot Aquatic t	-
111-76-2 2-	butoxyethanol
EC50	101 mg/l (daphnia) (24 h)
LC50 (96h)	101 mg/l (Fish)
34590-94-8	(2-methoxymethylethoxy)propanol
EC50	970 mg/l (algae) (72 h)
	1919 mg/l (daphnia) (48 h)
LC50 (96h)	1001 mg/l (Fish)
1071-93-8 a	dipohydrazide
EC50	9.19 mg/l (algae) (72 h)
	101 mg/l (daphnia) (48 h)
LC50 (96h)	101 mg/l (Fish)
2634-33-5 1	,2-benzisothiazol-3(2H)-one
EC50	2.94 mg/l (daphnia) (48 h)
LC50 (96h)	2.18 mg/l (Fish)
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2 methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of: 5-chloro-2 methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3 one [EC No 220-239-6] (3:1)
	0.1 mg/l (daphnia) (48 h)

(Contd. of page 6)

Safety Data Sheet 29 CFR Parts 1910 1915 1926

Reviewed on 09/18/2015

Printing date 09/18/2015

Chemicals

Version number 11

Product number HGA13 Trade name: CLEAR WB TOPCOAT 2K 30GL

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:
 - Water hazard class 1 (Self-assessment): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Smaller quantities can be disposed of with household waste.
- Hand over to hazardous waste disposers.
- Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Not applicable	
Packing group		
· DOT, IMDG, IATA	Not applicable	
Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ː II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

(Contd. on page 8)

US



Version number 11

Reviewed on 09/18/2015

Printing date 09/18/2015

Product number HGA13 Trade name: CLEAR WB TOPCOAT 2K 30GL

· SARA	(Contd. of page 7)
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings) :	
111-76-2 2-butoxyethanol	2,5-4,99%
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
111-76-2 2-butoxyethanol	NL 2,5-4,99%
· TLV (Threshold Limit Value established by ACGIH)	
111-76-2 2-butoxyethanol	A3
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl

· Contact: See emergency phone

- Date of preparation / last revision 09/18/2015 / 10
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Lig. 4: Flammable liquids, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4



Reviewed on 09/18/2015

Printing date 09/18/2015

Version number 11

Product number HGA13 Trade name: CLEAR WB TOPCOAT 2K 30GL

(Contd. of page 8) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 · Sources Directive 1999/45/EC and following amendments Directive 67/548/EEC and following amendments and adjustments Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer \cdot * Data compared to the previous version altered. us