

Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

1 Identification

· Product identifier

- · Product number HSC6036
- · Trade name: HYDROCOAT F. MULTILAYER 10G
- · Relevant identified uses of the substance or mixture and uses advised against A coating composition for water-based coating and / or decoration of wooden artefacts · Application of the substance / the mixture For professional use

· Details of the supplier of the safety data sheet

- · Manufacturer/Supplier: IVM Chemicals srl Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441
- · Information department: Environmental Health and safety office hseoffice@ivmchemicals.com
- · Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Not applicable
 - · Hazard pictograms Not applicable
 - · Signal word Not applicable
 - · Hazard statements Not applicable
- · Classification system:
 - · NFPA ratings (scale 0 4)



Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous components:			
111-76-2	2-butoxyethanol		
	 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Flam. Liq. 4, H227 		
34590-94-8	(2-methoxymethylethoxy)propanol Flam. Liq. 4, H227	1-<5%	

(Contd. on page 2)



Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

Product number HSC6036 Trade name: HYDROCOAT F. MULTILAYER 10G

(Contd. of page 1)

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - · Most important symptoms and effects, both acute and delayed
 - For symptoms and effects caused by substances, refer to Section 11.
 - · Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.
- · Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)



Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

Product Trade na	number HSC6036 me: HYDROCOAT F. MULTILAYER 10G
	(Contd. of page 2
· Cond	ditions for safe storage, including any incompatibilities
	orage:
	• Requirements to be met by storerooms and receptacles:
	Observe the label precautions, the expiration date for the use, if not indicated, is from
	delivery date of goods. In cases where there is no reported expiration date , it means that the product must be use
	within 8 months.
	Take on temperature greater than 5 °C
	· Information about storage in one common storage facility: Not required.
	· Further information about storage conditions: None.
· Spec	cific end use(s) Those typical of the product and the instructions in the data sheet if required.
8 Exp	osure controls/personal protection
· Addi	tional information about design of technical systems: No further data; see item 7.
· Cont	rol parameters
· Co	omponents with limit values that require monitoring at the workplace:
	76-2 2-butoxyethanol
	Long-term value: 240 mg/m³, 50 ppm
	Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI
3459	0-94-8 (2-methoxymethylethoxy)propanol
PEL	Long-term value: 600 mg/m ³ , 100 ppm
	Skin
REL	Short-term value: 900 mg/m³, 150 ppm
	Long-term value: 600 mg/m³, 100 ppm
	Skin
TLV	Short-term value: 909 mg/m³, 150 ppm
	Long-term value: 606 mg/m³, 100 ppm
	Skin
	· Ingredients with biological limit values:
111-7	76-2 2-butoxyethanol
BEI	200 mg/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Butoxyacetic acid with hydrolysis
	· Additional information: The lists that were valid during the creation were used as basis.
	osure controls
	ersonal protective equipment:
	• General protective and hygienic measures:
	The usual precautionary measures for handling chemicals should be followed.
	· Breathing equipment: Not required.
	• Protection of hands:
	Due to missing tests no recommendation to the glove material can be given for the product.
	Selection of the glove material on consideration of the penetration times, rates of diffusio
	and the degradation The glove material has to be impermeable and resistant to the product .
	(Contd. on page 4

(Contd. on page 4)

coatings & polymers technologies

*

Printing date 09/18/2015

Safety Data Sheet 29 CFR Parts 1910 1915 1926

Version number 13

Reviewed on 09/16/2015

oduct number HSC6036 ade name: HYDROCOAT F. MULTILAYE	R 10G
	(Contd. of pag
further marks of quality and varies a a preparation of several substanc calculated in advance and has there Penetration time of glove material	s does not only depend on the material, but also from manufacturer to manufacturer. As the produc es, the resistance of the glove material can not fore to be checked prior to the application. to be found out by the manufacturer of the protect during refilling.
Physical and chemical properties	
 Information on basic physical and chemic General Information 	al properties
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
• Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazar
· Explosion limits:	
· Lower:	0.6 Vol %
· Upper:	20.4 Vol %
· Vapor pressure at 20 °C (68 °F):	1.2 hPa (1 mm Hg)
• Density at 20 •C (68 •F):	1.039 g/cm³ (8.67 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
• Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
• Kinematic at 20 °C (68 °F):	60 s (ISO 6 mm)
• Oxidising properties:	N.A.

(Contd. on page 5)

US



Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

Product number HSC6036 Trade name: HYDROCOAT F. MULTILAYER 10G

	("	Contd. of page 4)
· Solvent content:		
· Water:	61.1 %	
· VOC content:	5.6 %	
	58.5 g/l / 0.49 lb/gl	
· Solids content:	33.3 %	
· Other information (HAPS)		
112-34-5 2-(2-butoxyethoxy)ethanol		0.1-<0.5%
• Other information No further relevant information available.		ble.

10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- Chemical stability The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

111-76-2 2-butoxyethanol

Oral LD50 1480 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

Dermal LD50 1100 mg/kg (rab)

34590-94-8 (2-methoxymethylethoxy)propanol

Oral LD50 5135 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

Dermal LD50 19020 mg/kg (rab)

· Primary irritant effect:

• on the skin: No irritant effect.

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US



Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

Product number HSC6036

Trade name: HYDROCOAT F. MULTILAYER 10G

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

111-76-2 2-butoxyethanol EC50 101 mg/l (daphnia) (24 h)

LC50 (96h) 101 mg/l (Fish)

34590-94-8 (2-methoxymethylethoxy)propanol

EC50 970 mg/l (algae) (72 h) 1919 mg/l (daphnia) (48 h)

LC50 (96h) 1001 mg/l (Fish)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Smaller quantities can be disposed of with household waste.
- Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name		
· DOT, ADN, İMDĞ, IATA	Not applicable	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Not applicable	
Packing group		
· DOT, IMDG, IATA	Not applicable	

1-2,49%



Safety Data Sheet 29 CFR Parts 1910 1915 1926

Reviewed on 09/16/2015

Printing date 09/18/2015

Version number 13

Product number HSC6036 Trade name: HYDROCOAT F. MULTILAYER 10G

		(Contd. of page 6)
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• •		
 Transport in bulk according to Anno MARPOL73/78 and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

· Safety,	health ai	nd environmental	regulations/legislation	specific for the	substance	or
mixture						

Requirements of Federal Register

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings) :

111-76-2 2-butoxyethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

 · TLV (Threshold Limit Value established by ACGIH)

 112945-52-5
 silicon dioxide
 A4

 111-76-2
 2-butoxyethanol
 A3

 · NIOSH-Ca (National Institute for Occupational Safety and Health)
 A3

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

NL

1-2.49%



Printing date 09/18/2015

Version number 13

Reviewed on 09/16/2015

Product number HSC6036 Trade name: HYDROCOAT F. MULTILAYER 10G

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
 - · Date of preparation / last revision 09/18/2015 / 12 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Lig. 4: Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Sources Directive 1999/45/EC and following amendments Directive 67/548/EEC and following amendments and adjustments Agency ECHA web site **INRS Fiche Toxicologique** IARC International agency for research on cancer \cdot * Data compared to the previous version altered.

us -