

Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

### 1 Identification

- · Product identifier
  - · Product number JJT6883
  - · Trade name: WB WXT WHITE CONV.TOP-C 30G
    - · Application of the substance / the mixture For professional use
- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

IVM Chemicals srl

Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

### 2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid. Flam. Liq. 4

- · Label elements
  - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Not applicable
- · Signal word Warning
- · Hazard statements

H227 Combustible liquid. Flam. Liq. 4

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · Classification system:
  - · NFPA ratings (scale 0 4)



Health = 0 Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0
FIRE 2
REACTIVITY 0

Health = 0

Fire = 2

Reactivity = 0

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - · Description: Mixture: consisting of the following components.
  - · Dangerous components:

34590-94-8 (2-methoxymethylethoxy)propanol

in 1 H227

Flam. Liq. 4, H227

(Contd. on page 2)

1-<5%



Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

57-55-6	propane-1,2-diol (Cor	ntd. of page 1) 1-2.49%
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330	0.0015%
	<ul> <li>Acute Tox. 3, H301, Acute Tox. 3, H311, Acute Tox. 2, H330</li> <li>Skin Corr. 1B, H314</li> <li>Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)</li> <li>Skin Sens. 1, H317</li> </ul>	

### 4 First-aid measures

### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
  - · Most important symptoms and effects, both acute and delayed
    For symptoms and effects caused by substances, refer to Section 11.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

### · Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

(Contd. on page 3)



Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

(Contd. of page 2)

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### Protective Action Criteria for Chemicals

· PAC-1:				
34590-94-8	(2-methoxymethylethoxy)propanol	150 ppm		
57-55-6	propane-1,2-diol	30 mg/m3		
25322-69-4	Propane-1,2-diol, propoxylated	30 mg/m3		
7631-86-9	silicon dioxide, chemically prepared	18 mg/m3		
· PAC-2:				
34590-94-8	(2-methoxymethylethoxy)propanol	1700* ppm		
57-55-6	propane-1,2-diol 1,300			
25322-69-4	Propane-1,2-diol, propoxylated 330 mg			
7631-86-9	silicon dioxide, chemically prepared 740 mg/m3			
· PAC-3:				
34590-94-8	(2-methoxymethylethoxy)propanol	9900** ppm		
57-55-6	propane-1,2-diol 7,9			
25322-69-4	Propane-1,2-diol, propoxylated	2,000 mg/m3		
7631-86-9	silicon dioxide, chemically prepared 4,500 mg/r			

## 7 Handling and storage

- · Handling:
  - · Precautions for safe handling No special precautions are necessary if used correctly.
  - · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
  - · Storage:
    - Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
  - · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)



Printing date 08/28/2017 Version number 38 Reviewed on 08/24/2017

**Product number JJT6883** 

WB WXT WHITE CONV.TOP-C 30G Trade name:

	(Contd. of page 3)
34590-	-94-8 (2-methoxymethylethoxy)propanol
PEL	Long-term value: 600 mg/m³, 100 ppm Skin
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
TLV	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin
57-55-0	6 propane-1,2-diol
WEEL	Long-term value: 10 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
  - General protective and hygienic measures: Wash hands before breaks and at the end of work.
  - · Breathing equipment: Not required.
  - · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling.

# 9 Physical and chemical properties

Information on basic physical and c · General Information	р. гро. шос
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100°C (°F)
· Flash point:	75°C (°F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	270°C (°F)
· Decomposition temperature:	Not determined.

(Contd. on page 5)



Printing date 08/28/2017 Version number 38 R

Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

		(Contd. of page	
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Not determined.		
· Explosion limits:			
· Lower:	1.1 Vol %		
· Upper:	14 Vol %		
· Vapor pressure at 20°C (68 °F):	0.4 hPa (mm Hg)		
· Density at 20°C (68 °F):	1.16 g/cm³ (lbs/gal)		
Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
· Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water):	Not determined.		
· Viscosity:			
· Dynamic:	Not determined.		
· Kinematic at 20°C (68 °F):	30 s (ISO 3 mm)		
· Oxidising properties:	N.A.		
· Solvent content:			
· Water:	52.2 %		
· VOC content:	5.93 %		
	68.8 g/l / 0.57 lb/gl		
· Solids content:	41.7 %		
Other information (HAPS)			
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]eth	nanol	<0.19	
Other information	No further relevant information available.		

## 10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
  - · Chemical stability The product is stable in normal conditions of storage and use recommended
    - Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:
    - · LD/LC50 values that are relevant for classification:

### 34590-94-8 (2-methoxymethylethoxy)propanol

Oral LD50 5,135 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

(Contd. on page 6)



Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

**Product number JJT6883** 

WB WXT WHITE CONV.TOP-C 30G Trade name:

Dermal	LD50	(Contd. of page 5) 19,020 mg/kg (rab)
57-55-6	propa	ne-1,2-diol
Oral	LD50	20,000 mg/kg (rat/szczur/mouse/souris/Maus/ratón)
Dermal	LD50	2,001 mg/kg (rat/szczur/mouse/souris/Maus/ratón)

- · Primary irritant effect:
  - on the skin: No irritant effect. on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction.

Safety data sheet available on request.

· Carcinogenic categories

Titanium dioxide

IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in experimental rats exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium is bound to other materials, such as paint."

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)				
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	2B - DUST		
· NTP (National Toxicology Program)				
None of the ingredients is listed.				

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

· Toxicity

· Aquatic t	oxicity:
34590-94-8	(2-methoxymethylethoxy)propanol
EC50	970 mg/l (algae) (72 h)
	1,919 mg/l (daphnia) (48 h)
LC50 (96h)	1,001 mg/l (Fish)
57-55-6 pro	pane-1,2-diol
EC50	19,000 mg/l (algae) (48 h)
	18,340 mg/l (daphnia) (48 h)
LC50 (96h)	40,613 mg/l (Fish)
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)
EC50	0.027 mg/l (algae) (72 h)
	0.16 mg/l (daphnia) (48 h)
LC50 (96h)	0.19 mg/l (Fish)
· Persistence	e and degradability No further relevant information available.

· Substances Easily biodegradable 34590-94-8 (2-methoxymethylethoxy)propanol.

(Contd. on page 7)



Printing date 08/28/2017 Version number 38 Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

(Contd. of page 6)

57-55-6 propane-1,2-diol

- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable	
Packing group		
· DOT, IMDG, IATA	Not applicable	
Environmental hazards:		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	· II of	
MARPOL73/78 and the IBC Code	Not applicable.	

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

(Contd. on page 8)



Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

(Contd. of page 7)

CA	n	1
$\mathcal{S}A$	K	А

· Section 35.	(extremely	hazardous	substances):

None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings):

 1336-21-6 | ammonia
 <0.1%</td>

 143-22-6 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol
 <0.1%</td>

 111-76-2 | 2-butoxyethanol
 <0.1%</td>

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6 only for Dust 10-12.49%

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EP	A (En	ıviro	nmental	Protection	Agency)
444 70 0	<u> </u>			,	

111-76-2 2-butoxyethanol

NL <0.1%

• TLV (Threshold Limit Value established by ACGIH)

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6 111-76-2 2-butoxyethanol

A4 A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6

10-12.49%

### · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
  - · Date of preparation / last revision 08/28/2017 / 37
  - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent



Printing date 08/28/2017

Version number 38

Reviewed on 08/24/2017

**Product number JJT6883** 

Trade name: WB WXT WHITE CONV.TOP-C 30G

(Contd. of page 8)

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer

\* Data compared to the previous version altered.

US