

Printing date 09/18/2015

Version number 7

Reviewed on 09/18/2015

#### 1 Identification

- · Product identifier
  - · Product number XHT100
  - · Trade name: WB white NanoC impr.
  - · Relevant identified uses of the substance or mixture and uses advised against

A coating composition for water-based coating and / or decoration of wooden artefacts

· Application of the substance / the mixture For professional use

#### · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

IVM Chemicals srl

Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flam. Lig. 4 H227 Combustible liquid. Flam. Lig. 4

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Not applicable
- · Signal word Warning
- · Hazard statements

H227 Combustible liquid. Flam. Liq. 4

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.
P280 Wear protective gloves / eye protection / face protection.

P273 Avoid release to the environment.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 2

Reactivity = 0



Printing date 09/18/2015

Version number 7

Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 1)

## 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

	is components:	
34590-94-8	(2-methoxymethylethoxy)propanol	1-<5%
	Flam. Liq. 4, H227	
<i>57-55-6</i>	propane-1,2-diol	1-2.49%
1314-13-2	zinc oxide	1-2.49%
	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
64742-95-6	Solvent naphtha (petroleum), light arom.	0.1-<0.5%
	♦ Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	Flam. Liq. 4, H227; Aquatic Acute 2, H401	
55406-53-6	3-lodo-2-propynylbutylcarbamate	<0.1%
	Acute Tox. 3, H331	
	<ul><li>♦ STOT RE 1, H372</li><li>♦ Eye Dam. 1, H318</li></ul>	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Skin Sens. 1, H317	
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7]	<0.0015%
	and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of:	
	5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-	
	4-isothiazolin-3-one [EC No 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	♦ Skin Corr. 1B, H314	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	핛 Skin Sens. 1, H317	

### 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
  - · Most important symptoms and effects, both acute and delayed For symptoms and effects caused by substances, refer to Section 11.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

### · Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 09/18/2015

Version number 7

Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 2)

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
  - · Precautions for safe handling No special precautions are necessary if used correctly.
  - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
  - · Storage.
    - Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 °C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 09/18/2015 Version number 7 Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 3)

#### · Control parameters

	· Components with limit values that require monitoring at the workplace: 34590-94-8 (2-methoxymethylethoxy)propanol		
PEL PEL	Long-term value: 600 mg/m³, 100 ppm		
,	Skin		
REL	Short-term value: 900 mg/m³, 150 ppm		
	Long-term value: 600 mg/m³, 100 ppm Skin		
TLV	Short-term value: 909 mg/m³, 150 ppm		
	Long-term value: 606 mg/m³, 100 ppm Skin		
<i>57-55</i>	6 propane-1,2-diol		
WEEL	Long-term value: 10 mg/m³		

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
  - · General protective and hygienic measures: Wash hands before breaks and at the end of work.
  - · Breathing equipment: Not required.
  - · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling.

# 9 Physical and chemical properties

nformation on basic physical and chen	iloai properties
· General Information	
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	75 °C (167 °F)
· Flammability (solid, gaseous):	Not applicable.

(Contd. on page 5)



Printing date 09/18/2015 Version number 7 Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

		(Contd. of page
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
· Lower:	1.1 Vol %	
· Upper:	14.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.4 hPa	
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.18 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic at 20 °C (68 °F):	29 s (ISO 3 mm)	
· Oxidising properties:	N.A.	
· Solvent content:		
· Water:	63.3 %	
· VOC content:	7.5 %	
	82.1 g/l / 0.69 lb/gl	
· Solids content:	29.2 %	
Other information (HAPS)		
111-90-0 2-(2-ethoxyethoxy)ethanol		0.1-<0.59
112-34-5 2-(2-butoxyethoxy)ethanol		<0.01%
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol		<0.01%
Other information	No further relevant information availa	hla

## 10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
  - · Chemical stability The product is stable in normal conditions of storage and use recommended
    - · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 09/18/2015 Version number 7 Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 5)

## 11 Toxicological information

#### · Information on toxicological effects

· Acute toxicity:

$\cdot LD/2$	· LD/LC50 values that are relevant for classification:				
34590-94-	34590-94-8 (2-methoxymethylethoxy)propanol				
Oral	LD50	5135 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			
Dermal	LD50	19020 mg/kg (rab)			
57-55-6 p	ropane-1,2	2-diol			
Oral	Oral LD50 20000 mg/kg (rat/szczur/mouse/souris/Maus/ratón)				
Dermal	LD50	2001 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			
1314-13-2	zinc oxid	e			
Oral	LD50	15000 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			
64742-95-	6 Solvent	naphtha (petroleum), light arom.			
Oral	LD50	6801 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			
Dermal	LD50	3401 mg/kg (rab)			
Inhalative	Inhalative LC50/4 h 10.3 mg/l (rat/szczur/mouse/souris/Maus/ratón)				
55406-53-	6 3-lodo-2	P-propynylbutylcarbamate			
Oral	LD50	301 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			
Dermal	LD50	2001 mg/kg (rat/szczur/mouse/souris/Maus/ratón)			

- · Primary irritant effect:
  - · on the skin: No irritant effect.
  - · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

#### · Additional toxicological information:

Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

#### · Carcinogenic categories

Titanium dioxide

IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in experimental rats exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium is bound to other materials, such as paint."

Quartz.

In physical state and in the quantities present in the formula, substance is not dangerous.

· IA	RC (International Agency for Research on Cancer)		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	2B Only t	for Dust
14808-60-7	Quartz (SiO2)	1	
$\cdot NT$	TP (National Toxicology Program)		
14808-60-7	Quartz (SiO2)		<0.1%
		(Contd.	on page 7)

on page i



Printing date 09/18/2015 Version number 7 Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity Ha	armful to aquatic life with long lasting effects.
· Aquatic t	oxicity:
34590-94-8	(2-methoxymethylethoxy)propanol
EC50	970 mg/l (algae) (72 h)
	1919 mg/l (daphnia) (48 h)
LC50 (96h)	1001 mg/l (Fish)
57-55-6 pro	pane-1,2-diol
EC50	19000 mg/l (algae) (48 h)
	18340 mg/l (daphnia) (48 h)
LC50 (96h)	40613 mg/l (Fish)
1314-13-2 z	rinc oxide
EC50	0.27 mg/l (algae)
	3.3 mg/l (daphnia) (48 h)
LC50 (96h)	1793 mg/l (Fish)
55406-53-6	3-lodo-2-propynylbutylcarbamate
EC50	0.022 mg/l (algae) (72 h)
	0.16 mg/l (daphnia) (48 h)
LC50 (96h)	0.067 mg/l (Fish)
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)
EC50	0.1 mg/l (daphnia) (48 h)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
  - · Remark: Harmful to fish
- · Additional ecological information:
  - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation:

Smaller quantities can be disposed of with household waste.

(Contd. on page 8)



Printing date 09/18/2015 Version number 7

Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 7)

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

#### · Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	Not applicable	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not applicable	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable	
· Packing group · DOT, IMDG, IATA	Not applicable	
· Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	-	

## 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

· SARA

· SARA					
· Sectio	on 355 (extremely hazardous substances):				
None of the	e ingredients is listed.				
· Section	on 313 (Specific toxic chemical listings) :				
1314-13-2	zinc oxide	1-2,49%			
111-76-2	2-butoxyethanol	0.1-<0.5%			
872-50-4	N-methyl-2-pyrrolidone	<0.1%			
55406-53-6	3-lodo-2-propynylbutylcarbamate	<0.1%			
143-22-6	143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol <0.01%				
. TSCA (T	Caric Substances Control Act):				

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:		
13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6	only for Dust	5-9,99%
·	(0	-l O\

(Contd. on page 9)



Printing date 09/18/2015

Version number 7

Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

			ontd. of page 8
14808-60-7	Quartz (SiO2)	*	<0.1%
· Chemi	cals known to cause reproductive toxicity for females:		
None of the	ingredients is listed.		
· Chemi	cals known to cause reproductive toxicity for males:		
None of the	ingredients is listed.		
· Chemi	cals known to cause developmental toxicity:		
872-50-4 N	methyl-2-pyrrolidone		<0.1%
· Carcinoge	enic categories		·
· EPA (	Environmental Protection Agency)		
1314-13-2 z	rinc oxide	D, I, II	1-2,49%
111-76-2 2	2-butoxyethanol	NL	0.1-<0.5%
· TLV (	Threshold Limit Value established by ACGIH)		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6		A4
14807-96-6	Talc (Mg3H2(SiO3)4)		A4
111-76-2	2-butoxyethanol		A3
112945-52-5	silicon dioxide		A4
14808-60-7	Quartz (SiO2)		A2
· NIOSI	H-Ca (National Institute for Occupational Safety and Health)		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6		5-9,99%
14808-60-7	Quartz (SiO2)		<0.1%

#### · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- Contact: See emergency phone
  - · Date of preparation / last revision 09/18/2015 / 6
  - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4
Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

(Contd. on page 10)



Printing date 09/18/2015

Version number 7

Reviewed on 09/18/2015

**Product number XHT100** 

Trade name: WB white NanoC impr.

(Contd. of page 9)

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

·Sources

Directive 1999/45/EC and following amendments
Directive 67/548/EEC and following amendments and adjustments
Agency ECHA web site
INRS Fiche Toxicologique
IARC International agency for research on cancer

\* Data compared to the previous version altered.

110